


JIBISI



LAMINATE FLOORING

2023 BROCHURE

INTERNATIONAL
STANDARD GLOBAL STYLE





**WE CARE ABOUT
ENVIRONMENT,
WE ARE PASSIONATE
ABOUT DOING OUR PART.**



We focus on healthy comfort seekers, value trendy pursuers and balanced home strivers as our target consumers.

Our philosophy of sustainable development covers every aspect of our business: timber resource, research and development, manufacturing, and marketing. All aspects come together to form a complete intelligent quality control system, which strikes the balance between eco-friendliness and quality.

Our laminate floor helps provide a healthy and comfortable living space with its outstanding quality, performance, and environment-friendly nature.

Technical and Production Capacity

With continued investment in technical innovation and vertical integration, JBS has the capacity to offer you exclusive and unique products with timely delivery.



Market-oriented product innovation

With continued investment in technical innovation and product development, we have the strong capacity to offer you exclusive and unique products.



Strictest quality management

With the strictest international production standards, and as part of ISO9001 Quality Management System and ISO14001 Environmental System, each part of every product is under supervision during production to ensure high quality.



High-precision Processing Technique

The short-cycle laminating equipment enables us to possess the ability of producing high quality level products, with errors within microns.

Characteristics and Quality Performance

JBS laminate flooring helps provide a healthy and comfortable lifestyle with its outstanding quality, performance, and environmentally friendly nature.



Thanks to the sophisticated combination of precise techniques, practical features and various styles, JBS laminate flooring lasts for an extended period of time while retaining its classic beauty and unique character.



Present each product with craftsmanship, from the structure to the material, from the surface treatment to the processing technology, truly achieve the fusion of appearance and feel, the greatest extent of the usage experience of wood flooring products.



JBS laminate floorings come with the revolutionary patented installation system to help you easily assemble the boards by yourself without glue, hammers or blocks. You can now install a floor up to 30% faster than a normal locking system while preventing any gaps and movement after installation.



Thanks to its anti-bacterial technology, JBS laminate flooring just needs to be cleaned with a vacuum or damp cloth. This easy to maintain flooring makes for healthy and comfortable living surroundings.

SIZE



1218

mm



JIBISI

JH-18038

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18038-10 Product Case Application

Classic and traditional looks in a versatile palette of colors for design flexibility options. Natural registered embossing surface enhances the natural look of the designs, which goes with all interiors superbly.



JH-18038-1



JH-18038-2



JH-18038-5



JH-18038-12



JH-18043-6 Product Case Application

JH-18043

Wood: OAK

Size: 1218x300mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18043-1



JH-18043-3

JH-18051

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18051-8



JH-18051-1



JH-18051-3



JH-18051-8 Product Case Application



JH-18085-6 Product Case Application

LAMINATE FLOORING MANUFACTURE

Classic and traditional looks in a versatile palette of colors for design flexibility options. Natural registered embossing surface enhances the natural look of the designs, which goes with all interiors superbly.

JH-18085

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR


Resistance Grade: AC4



JH-18085-1



JH-18085-6



JH-18095-2 Product Case Application

LAMINATE
FLOORING
MANUFACTURE

Classic and traditional looks in a versatile palette of colors for design flexibility options.



JH-18095

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18095-2



JH-18095-1



JH-18095-3

JH-18096

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18096-1



JH-18096-5



JH-18096-5 Product Case Application

LAMINATE FLOORING MANUFACTURE

Classic and traditional looks in a versatile palette of colors for design flexibility options.



JH-18098-6 Product Case Application

JH-18098

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18098-6

**LAMINATE
FLOORING
MANUFACTURE**

Classic and traditional looks in a versatile palette of colors for design flexibility options.

JH-18100

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18100-4 Product Case Application



JH-18100-3



JH-18100-5



JH-18100-4

JH-18101

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18101-3



JH-18101-4



JH-18101-1 Product Case Application



JH-18101-1



JH-18108-1 Product Case Application

JH-18101

Wood: OAK
 Size: 1210x196mm
 Health class: E1
 Surface: EIR
 Resistance Grade: AC4



JH-18108-1




JH-18108-6



JH-18108-7

LAMINATE
FLOORING
 MANUFACTURE



JH-18612

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18612-6



JH-18612-7



JH-18612-9



JH-18612-1 Product Case Application



JH-18612-1

JH-18612

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



Classic and traditional looks in a versatile palette of colors for design flexibility options.

JH-19006-2
Product Case Application



JH-19006-3



JH-19006-2



JH-19006-5



JH-19006-13



JH-19013-2 Product Case Application

LAMINATE FLOORING MANUFACTURE

Classic and traditional looks in a versatile palette of colors for design flexibility options.

JH-19013

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-19013-2



JH-19013-3

JH-19043

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-19043-3



JH-19043-5

LAMINATE
FLOORING
MANUFACTURE



JH-19043-5 Product Case Application

JH-19055

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



Hand-sculpted



Low gloss



Locking system



Suitable for floor heating



4V Beveled edge



JH-19055-5 Product Case Application



JH-19055-6



JH-19055-5



JH-19055-7



JH-19055-3

JH-19065

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



Hand-sculpted



Low gloss



locking system



Suitable for floor heating



4V Beveled edge



JH-19065-5




JH-19065-8



JH-19065-9



JH-19065-2



JH-19074-4 Product Case Application

LAMINATE
FLOORING
MANUFACTURE

Classic and traditional looks in a versatile palette of colors for design flexibility options.

JH-19074

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-19074-8



JH-19074-9



JH-19074-4

JH-19085

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR


Resistance Grade: AC4



JH-19085-3



JH-19085-4



JH-19085-2 Product Case Application



JH-19085-2



JH-19086-1 Product Case Application

JH-19086

Wood: OAK

Size: 1210x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-19086-1



JH-19086-2



JH-19086-6

LAMINATE
FLOORING
MANUFACTURE



JH-19097

Wood: OAK

Size: 1210x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-19097-2



JH-19097-3



JH-19097-1 Product Case Application



JH-19097-1

JH-19098

Wood: OAK

Size: 1210x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-19098-5 Product Case Application



JH-19098-6



JH-19098-8



JH-19098-5

JH-16030

Wood: OAK

Size: 1210x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-16030-384



JH-16030-385



JH-16030-386

LAMINATE FLOORING MANUFACTURE

Classic and traditional looks in a versatile palette of colors for design flexibility options.

Natural registered embossing surface enhances the natural look of the designs, which goes with all interiors superbly.

JH-16036

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-16036-304

LAMINATE FLOORING MANUFACTURE



JH-16036-315



JH-1E6036-301



JH-16036-381

JH-16039

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-16039-201



JH-16039-305

**LAMINATE
FLOORING
MANUFACTURE**

Classic and traditional looks in a versatile palette of colors for design flexibility options.

Natural registered embossing surface enhances the natural look of the designs, which goes with all interiors superbly.



JH-16098-301 Product Case Application

JH-16098

Wood: OAK

Size: 1218x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-16098-301




JH-16098-308



JH-16098-309

LAMINATE
FLOORING
MANUFACTURE



SIZE



1523

mm



JIBISI



JH-18090-8 Product Case Application

JH-18090

Wood: OAK
 Size: 1523x196mm
 Health class: E1
 Surface: EIR
 Resistance Grade: AC4



JH-18090-2



JH-18090-5

JH-18092

Wood: OAK
 Size: 1523x196mm
 Health class: E1
 Surface: EIR
 Resistance Grade: AC4



JH-18092-1



JH-18092-2



JH-18092-3



JH-18092-1 Product Case Application



JH-18102-6 Product Case Application

LAMINATE
FLOORING
MANUFACTURE

Classic and traditional looks in a versatile palette of colors for design flexibility options.

JH-18095

Wood: OAK

Size: 1523x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18102-2



JH-18102-5

JH-18102-6

JH-18104

Wood: OAK

Size: 1523x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18104-5



JH-18104-2



JH-18104-6



JH-18104-2
Product Case Application

JH-18105

Wood: OAK

Size: 1523x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18105-5 Product Case Application



JH-18105-4



JH-18105-9



JH-18105-5



JH-18106-6 Product Case Application

JH-18106

Wood: OAK
 Size: 1523x196mm
 Health class: E1
 Surface: EIR
 Resistance Grade: AC4



JH-18106-6




JH-18106-1



JH-18106-5

LAMINATE
FLOORING
 MANUFACTURE



JH-18112

Wood: OAK

Size: 1523x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



Classic and traditional looks in a versatile palette of colors for design flexibility options.

Natural registered embossing surface enhances the natural look of the designs, which goes with all interiors superbly.

JH-18112-1 Product Case Application



JH-18112-1



JH-18112-3



JH-18112-4



JH-18112-5

JH-18116

Wood: OAK

Size: 1523x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18116-5



JH-18116-6



JH-18116-7 Product Case Application



JH-18116-7

JH-19051

Wood: OAK

Size: 1523x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



Hand-sculpted



Low gloss



Locking system



Suitable for floor heating



4V Beveled edge



JH-19051-2



JH-19051-3



JH-19051-1 Product Case Application



JH-19051-1

JH-19052

Wood: OAK

Size: 1523x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4




JH-19052-12



JH-19052-3



JH-19052-9



JH-19043-5 Product Case Application

JH-19096

Wood: OAK
 Size: 1523x196mm
 Health class: E1
 Surface: EIR
 Resistance Grade: AC4



JH-19096-1



JH-19096-4



JH-19096-4 Product Case Application

LAMINATE FLOORING MANUFACTURE

Classic and traditional looks in a versatile palette of colors for design flexibility options.

SIZE



1835

mm



JIBISI

JH-18080

Wood: OAK

Size: 1835x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18080-1



JH-18080-9



JH-18080-9
Product Case Application

LAMINATE FLOORING MANUFACTURE

Classic and traditional looks in a versatile palette of colors for design flexibility options.



JH-18081-2 Product Case Application

JH-18101

Wood: OAK
 Size: 1835x196mm
 Health class: E1
 Surface: EIR
 Resistance Grade: AC4



JH-18081-2



JH-18081-17

LAMINATE
FLOORING
 MANUFACTURE





JH-18082-7 Product Case Application

LAMINATE
FLOORING
MANUFACTURE

Classic and traditional looks in a versatile palette of colors for design flexibility options.

JH-18082

Wood: OAK

Size: 1835x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18082-7



JH-18082-2

JH-18099

Wood: OAK

Size: 1835x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18099-2 Product Case Application



JH-18099-3



JH-18099-6



JH-18099-2

JH-18110

Wood: OAK

Size: 1835x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18110-1
Product Case Application

LAMINATE FLOORING MANUFACTURE

Classic and traditional looks in a versatile palette of colors for design flexibility options.



JH-18110-1



JH-18110-6



JH-18110-3

JH-18111

Wood: OAK

Size: 1835x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18111-7



JH-18111-8



JH-18111-2 Product Case Application



JH-18111-2

JH-18114

Wood: OAK

Size: 1835x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18114-3



JH-18114-4



JH-18114-7

LAMINATE FLOORING MANUFACTURE

Classic and traditional looks in a versatile palette of colors for design flexibility options.

Natural registered embossing surface enhances the natural look of the designs, which goes with all interiors superbly.

JH-18117

Wood: OAK

Size: 1835x196mm

Health class: E1

Surface: EIR

Resistance Grade: AC4



JH-18117-4

LAMINATE FLOORING MANUFACTURE



JH-18117-6



JH-18117-7



JH-18117-6
Product Case Application

2023 BROCHURE



HENAN JIAHE WOOD INDUSTRY CO., LTD

ADDRESS: XINWEI INDUSTRIAL PARK, HENAN PROVINCE, CHINA